


AUTOMOTIVE

LIGHTING ROAD LEGAL OFF-ROAD

OFF-ROAD COMPETITION



SLIM DESIGN

This slim lighting series makes a bigger impression than the size and low profile suggests.

ANTI-MOISTURE

An Nitto Denko valve function that release the moisture.

ROAD LEGAL



5 WATT LED

5 watt per LED with an optimized light beam Iris Reflectors to provide a spread of light at a distance. Beam: 10° SPOT

POSITION LIGHT

Choose between White or Amber position light. With a separate wire, you'll be able to rig the position Light up as a daytime running light.



1 lux at 429m AND MORE!



LED LIGHT BAR MAKE YOUR STYLE

The slim design combined with an attractive position light and high light output make it one of the most wanted light bars on the market. Design, performance and quality surpasses even the highest expectations. Mount it on the roof cab or in the grille with our integration kits and the massive light output increase your enjoyment and security of driving.

Amber or white position light?

Give your style and personality to stand out from the crowd! Choose between White or Amber position light. With a separate wire, you'll be able to rig the position light up as a daytime running light.

E-approved as driving light ECE R112.01.















ITEM#	DISTANCE	RAW LUMENS	WATTAGE	AMP DRAW @12V	DIMENSIONS	E-MARK	PRICE
XPL-H6	280m	3.210 lm	30W	1.25A	239 x 51 x 55 mm	ECE R112.01	€ 159,00
XPL-H9	330m	4.815 lm	45W	1.87A	335 x 51 x 55 mm	ECE R112.01	€ 209,00
XPL-H15	429m	8.025 lm	75W	3.12A	527 x 51 x 55 mm	ECE R112.01	€ 329,00

DON'T FORGET TO ORDER THE ACCESSORIES YOU NEED

This item includes: 1 light Bar, Feet mount, 1 Deutsch connector



The harness and the side wings mounts (XPL-LEM) are sold separately. (See p.9)





Amber position light with a separate wire, you'll be able to rig the position Light up as a daytime running light.

ANTI-MOISTURE

An Nitto Denko valve function that release the moisture.

5 WATT LED

1510

5 watt per LED with an optimized light beam Iris Reflectors to provide a spread of light at a distance.

Beam: 10° SPOT

SLIM DESIGN

This slim lighting series makes a bigger impression than the size and low profile suggests.

DOILE 3

LO-PRO LIGHT BAR SERIES

LED LIGHT BAR MAKE YOUR STYLE

The slim design combined with an attractive position light and high light output make it one of the most wanted light bars on the market. Design, performance and quality surpasses even the highest expectations. Mount it on the roof cab or in the grille with our integration kits and the massive light output increase your enjoyment and security of driving.

Amber or white position light?

Give your style and personality to stand out from the crowd! Choose between White or Amber position light. With a separate wire, you'll be able to rig the position light up as a daytime running light.

E-approved as driving light ECE R112.01.

The amber position light is not allowed in certain EU countries, please check first with your local authority for road legislation.

TECHNICAL INFORMATION













ITEM#	DISTANCE	RAW LUMENS	WATTAGE	AMP DRAW @12V	DIMENSIONS	E-MARK	PRICE
XPL-HA6	280m	3.210 lm	30W	1.25A	239 x 51 x 55 mm	ECE R112.01	€ 159,00
XPL-HA9	330m	4.815 lm	45W	1.87A	335 x 51 x 55 mm	ECE R112.01	€ 209,00
XPL-HA15	429m	8.025 lm	75W	3.12A	527 x 51 x 55 mm	ECE R112.01	€ 329,00

DON'T FORGET TO ORDER THE ACCESSORIES YOU NEED

This item includes: 1 light Bar, Feet mount, 1 Deutsch connector



The harness and the side wings mounts (XPL-LEM) are sold separately. (See p.9)



ACCESSORIES

DUAL BAR WITH HALO FUNCTION



P-HARNESS-2XIL.3PIN

Price:

€ 60,44

CURVED LED LIGHT BAR


The XPL Curved Halo Series LED Light Bar is our solution to growing demand for high performance curved light bars. We did it better and we are the first to do it featuring an ultra slim housing with high intensity single row 5W LEDs. Utilizing our Iris Reflector Technology coupled with the unique curve of the bar, the XPL Curved Series produces a broad spot beam pattern that reaches over 531m with up 20,865 raw lumens.

White position light?

Give your style and personality to stand out from the crowd! a white position light with a separate wire, you'll be able to rig the position light up as a daytime running light.

E-approved

All models are E-approved as driving light ECE R112.01 and O.E.M Certified ECE R10.05





Price: **€ 28,93**

SINGLE BAR WITH HALO FUNCTION



P-HARNESS-XIL.3PIN

Price:

€ 55,80





ITEM#	COLOR	DIMENSIONS/MODEL	PRICE
PCV-XPL6BL	Black	239 mm XPL-6	€ 38,90
PCV-XPL9BL	Black	335 mm XPL-9	€ 38,90
PCV-XPL15BL	Black	527 mm XPL-15	€ 44,89
PCV-XPL6Y	Amber	239 mm XPL-6	€ 38,90
PCV-XPL9Y	Amber	335 mm XPL-9	€ 38,90
PCV-XPL15Y	Amber	527 mm XPL-15	€ 44,89
Not available f	or Curved		

All prices are VAT excluded - Prices are subject to change without notice.

f 8



5 WATT LED

5 watt per LED with an optimized light beam Iris Reflectors to provide a spread of light at a


POSITION LIGHT

White position light with a separate wire, you'll be able to rig the position Light up as a daytime running light.

SHOCKE LED LIGHT BAR DOUBLE IMPACT

The All New Shocker X2 LED Light Bar packs two rows of our infamous Iris Reflectors with 5W ultra-bright LEDS to produce a wide and long-distance beam pattern that is prime for turning any nighttime adventure into daylight. The dual row LEDs means that we are doubling the output when compared to most of our single row LED light bars making the Shocker X2 the newest and brightest addition to our LED light bar range. Lastly, the Shocker X2 also features our smooth back-lit halo function that our off-road lights are known for This new addition to the Shocker Series is available from 304mm-1295mm lengths.

E-approved as driving light ECE R112.01.



11 10

POSITION LIGHT

White position light with a separate wire, you'll be able to rig the position Light up as a daytime running light.

ANTI-MOISTURE

An Nitto Denko valve function that release the moisture.



10 WATT LED

10 watt per LED with an optimized light beam Iris Reflectors to provide a spread of light at a

ROAD LEGAL











LED LIGHT BAR MAKE AN IMPACT

The drivers first choice! We give you an outstanding visibility and literally turns night into day on a long distance, pushing out 1 lux at 435 meters (XPR-H12M). Mount it on the roof or in the grille with our integration kits and the massive light output increase your enjoyment and security of driving.

White position light?

Give your style and personality to stand out from the crowd! Choose white position light with a separate wire, you'll be able to rig the position light up as a daytime running light.

E-approved

All models are E-approved as driving light ECE R112.01 and O.E.M. Certified ECE R10.05

TECHNICAL INFORMATION













							PRICE
XPR-H3S 3	316m 3	3.237 lm	30W	1.25A	156 x 95 x 81 mm	ECE R112.01	€ 258,35
XPR-H6E 3	385m (6.474 lm	60W	2.5A	291 x 95 x 81 mm	ECE R112.01	€ 417,95
XPR-H9M	416m 9	9.711 lm	90W	3.75A	476 x 95 x 81 mm	ECE R112.01	€ 467,83
XPR-H12M	435m 1	2.984 lm	120W	5A	611 x 95 x 81 mm	ECE R112.01	€ 587,53

DON'T FORGET TO ORDER THE ACCESSORIES YOU NEED

This item includes: 1 light Bar, Feet mount, 2 side wings mounts, 1 Deutsch connector



The harness is sold separately. (See p.17)





LED LIGHT BAR MAKE AN IMPACT

The drivers first choice! We give you an outstanding visibility and literally turns night into day on a long distance, pushing out 1 lux at 435 meters (XPR-HA12M). Mount it on the roof or in the grille with our integration kits and the massive light output increase your enjoyment and security of driving.

Amber position light?

Give your style and personality to stand out from the crowd! Choose Amber position light with a separate wire, you'll be able to rig the position light up as a daytime running light.

E-approved

All models are E-approved as driving light ECE R112.01 and O.E.M Certified ECE R10.05

TECHNICAL INFORMATION













ITEM#	DISTANCE	RAW LUMENS	WATTAGE	AMP DRAW @12V	DIMENSIONS	E-MARK	PRICE
XPR-HA3S	316m	3.237 lm	30W	1.25A	156 x 95 x 81 mm	ECE R112.01	€ 258,35
XPR-HA6E	385m	6.474 lm	60W	2.5A	291 x 95 x 81 mm	ECE R112.01	€ 417,95
XPR-HA9M	416m	9.711 lm	90W	3.75A	476 x 95 x 81 mm	ECE R112.01	€ 467,83
XPR-HA12M	435m	12.984 lm	120W	5A	611 x 95 x 81 mm	ECE R112.01	€ 587,53

DON'T FORGET TO ORDER THE ACCESSORIES YOU NEED

This item includes: 1 light Bar, Feet mount, 2 side wings mounts, 1 Deutsch connector



The harness is sold separately. (See p.17)



The XPR-Curved has been updated with new IRIS reflector technology to give 40-90% more distance than the XPR series, a Custom beam pattern that offers you great distance with spread to the beam and black aluminum housing.


The XPR curved comes standard with an multi-volt 11-32V DC input.
Coming with Prime Drive for enhanced reliability & output and our new 10 watt LED's this light has an extraordinary light output.

White position light?

Give your style and personality to stand out from the crowd! A white position light with a separate wire, you'll be able to rig the position light up as a daytime running light.

E-approved

All models are E-approved as driving light ECE R112.01





ACCESSORIES

DUAL BAR WITH HALO FUNCTION



P-HARNESS-2XIL.3PIN

€ 60.44

SINGLE BAR WITH HALO FUNCTION



P-HARNESS-XIL.3PIN

Price: € 55,80



XPI-EM

Price:

€ 48.88

17

VISION A LIGHTING

ITEM#	COLOR	DIMENSIONS/MODEL	PRICE			
PCV-XP3BL	Black	156 mm XPR-3	€ 34,91			
PCV-XP6BL	Black	291 mm XPR-6	€ 38,90			
PCV-XP9BL	Black	476 mm XPR-9	€ 38,90			
PCV-XP12BL	Black	611 mm XPR-12	€ 44,89			
Not available for Curved						
All prices are VAT excluded - Prices are subject to change without notice.						



MULTI LED

30 LED With an optimized light beam Reflectors to provide a spread of light at a distance. Beam: 10° SPOT

ROAD LEGAL



POSITION LIGHT

Choose between White or Amber position light. With a separate wire, you'll be able to rig the position light up as a daytime running light.

ADJUSTABLE TRUNNION BRACKET

This support system allows adjustable tilt angle of the lighting; use the 4 points bolts on the sides to adjust the best lighting position. **Vibration Rating: 21.2 Grms**



THUNDER DRIVING LIGHT WHAT ELSE WITH PERFORMANCE

Because your safety is our priority! We give you an outstanding visibility for rest your eyes all night long! The massive light output increase your enjoyment and security of driving.

The bracket is specially designed to handle vibrations out of the ordinary. With a vibration rating of 21.2 Grms, the lamp can handle vibrations without problems even in the most exposed places.

Amber or white position light?

Give your style and personality to stand out from the crowd! Choose between White or Amber position light. With a separate wire, you'll be able to rig the position light up as a daytime running light.

E-approved

All models are E-approved as driving light ECE R112.01.









COLOR DESIGN

Choose between White or Amber

the color of position light for an

positioned in a circle.

outstanding light effect, perfectly



ON-ROAD

ITEM#	POSITION LIGHT COLOR	RAW LUMENS	WATTAGE	AMP DRAW @12V	DIMENSIONS	E-MARK
VWRH043010E	White	6.371 lm	48W	2A	223 x 228 76 mm	ECE R112.01
VWRHA043010E	Amber	6.371 lm	48W	2A	223 x 228 76 mm	ECE R112.01

All prices are VAT excluded - Prices are subject to change without notice

TECHNICAL INFORMATION



ADJUSTABLE TRUNNION BRACKET

This support system allows adjustable tilt angle of the lighting; use the 4 points bolts on the sides to adjust the best lighting position. **Vibration Rating: 21.2 Grms**



ADV LIGHT CANNON ADVENTURES JUST GOT BRIGHTER

Combining the superior distance of Iris Reflector technology with the spread of elliptical optics the ADV Light Cannon series shines a powerful combo driving beam that is optimal for all terrains. With a robust 4-bolt steel trunnion bracket, the ADV Light Cannon Series was engineered to outshine and outlast the competition.

Amber or white position light?

Give your style and personality to stand out from the crowd! Choose between White or Amber position light. With a separate wire, you'll be able to rig the position light up as a daytime running light.

E-approved

All models are E-approved as driving light ECE R112.01.



POSITION LIGHT

Choose between White or Amber position light. With a separate wire, you'll be able to rig the position light up as a daytime running light.

COMBO BEAM

Combining the superior distance of Iris Reflectors with two elliptical optics, the ADV Light Cannon shines a powerful and smooth light pattern for all terrains. From curving roads to high-speed trails, the Driving/ Combo beam pattern is the perfect blend of light.

TECHNICAL INFORMATION

10 WATT LED

10 watt per LED with an optimized

light beam Iris Reflectors to

provide a spread of light at a















		9-32V	50,000 HR	IP-68 IP69K	-40° ~ +80°C 6061	EMARK	Gms
ITEM#	POSITION LIGHT COLOR	RAW LUMENS	WATTAGE	AMP DRAW @12V	DIMENSIONS	E-MARK	PRICE
CGA-CPMH8ME	White	8,560lm	80W	5.83A	172x240x103mm	ECE R112.01	€ 378,05
CGA-CPMH8MEKIT	White	17,120lm	160W	11.67A	172x240x103mm	ECE R112.01	€ 747,13
CGA-CPMH14ME	White	12,840lm	120W	10A	223x240x103mm	ECE R112.01	€ 497,75
CGA-CPMH14MEKIT	White	25,680lm	240W	20A	223x240x103mm	ECE R112.01	€ 986,53
CGA-CPMHA8ME	Amber	8,560lm	80W	5.83A	172x240x103mm	ECE R112.01	€ 378,05
CGA-CPMHA8MEKIT	Amber	17,120lm	160W	11.67A	172x240x103mm	ECE R112.01	€ 747,13
CGA-CPMHA14ME	Amber	12,840lm	120W	10A	223x240x103mm	ECE R112.01	€ 497,75
CGA-CPMHA14MEKIT	Amber	25,680lm	240W	20A	223x240x103mm	ECE R112.01	€ 986,53



The E-Mark Approved VX Series LED Headlight leads the LED Headlight industry in both style and performance.
With an integrated LED Halo Ring, the VX Headlight is sure to turn heads while also delivering a dramatically improved night driving experience over factory headlights. The VX Series is currently available in 7" Round with a Polished Chrome finish, Black matte finish or a Black Chrome finish.

E-approved as driving light ECE R112.01.

POSITION LIGHT

White color of position light for an outstanding light effect, perfectly positioned in a ring.



ROAD LEGAL









HIGH OUTPUT HIGH BEAM

Two 10W LEDs located under the low beam utilize Iris Reflectors to produce a long range high beam.



X SERIES LED HEADLIGHT



TECHNICAL INFORMATION













ITEM#	COLOR	RAW LUMENS	WATTAGE	DRIVING SIDE	DIMENSIONS	E-MARK	PRICE
XIL-7RELKIT	Chrome	8.420 lm	84W	Left-hand drive	177 x 177 x 98 mm	ECE R112.01	€ 742,88
XIL-7RELBKIT	Black Chrome	8.420 lm	84W	Left-hand drive	177 x 177 x 98 mm	ECE R112.01	€ 742,88
XIL-7RELFMBKIT	Black Matte	8.420 lm	84W	Left-hand drive	177 x 177 x 98 mm	ECE R112.01	€ 742,88
XIL-7RERKIT	Chrome	8.420 lm	84W	Right-hand drive	177 x 177 x 98 mm	ECE R112.01	€ 742,88
XIL-7RERBKIT	Black Chrome	8.420 lm	84W	Right-hand drive	177 x 177 x 98 mm	ECE R112.01	€ 742,88
XIL-7RERFMBKIT	Black Matte	8.420 lm	84W	Right-hand drive	177 x 177 x 98 mm	ECE R112.01	€ 742,88

POSITION LIGHT VISIONX **Choose between White or Amber** to rig the position light up as a daytime running light.

With a separate wire, you'll be able

ROAD LEGAL



SINGLE LED

10W Sinlge LED With an optimized light beam Iris Reflectors to provide a spread of light at a distance.

Beam: 15° SPOT

OPTIMUS LED LIGHT MORE VERSATILE

All prices are VAT excluded - Prices are subject to change without notice.



TECHNICAL INFORMATION DIMENSIONS PRICE WATTAGE XIL-OPRH115 White 1.052 lm 0.83A 92 x 92 x 97 mm 10W €138,65 XIL-OPRH115KIT White 2.104 lm 20W 1.66A 92 x 92 x 97 mm €278,30 XIL-OPRHA115 1.052 lm 0.83A 92 x 92 x 97 mm €138.65 Amber 10W XIL-OPRHA115KIT Amber 2.104 lm 20W 1.66A 92 x 92 x 97 mm €278,30 White 1.052 lm 10W 0.83A XIL-OPH115 92 x 92 x 97 mm €138.65 XIL-OPH115KIT White 2.104 lm 20W 1.66A 92 x 92 x 97 mm €278,30 XIL-OPHA115 Amber 1.052 lm 10W 0.83A 92 x 92 x 97 mm €138,65 2.104 lm 20W 1.66A 92 x 92 x 97 mm XIL-OPHA115KIT €278,30

SNAP-ON OPTIMUS COVERS

25 LIGHTS IN 1 WITH POLYCARBONATE COVERS

Each Light is 25 Lights In One with the help of the unbreakable polycarbonate snap-on covers that can alter the beam pattern and change the color of the Cannon. Tackle any weather condition with the proper color cover, or quickly change your spot cover to a flood cover for a wider beam when necessary.

COLOR OPTIONS



BLACKOUT | PROTECTIVE

Covers the fixture with a solid black protective cover with a high contrast "X" logo. Required in select states for on-road use.



CLEAR | PROTECTIVE

Protects light from dust, debris and particulates without changing light color or performance.



Battles fog conditions by reducing the amount of blue light. Mimics classic Halogen color temperature. Great for driving in fog at high speeds.




Increases lighting distance when used in snow conditions by reflecting the blue light off the snow. Recommended for vehicles in heavy winter



Reduces light temperature and glare back in order to enhance penetration in dust and air particulate. Ideal for vehicles in extreme dust conditions.





Spot covers maintain original lighting beam pattern while protecting the lens from harmful debris.



Combo covers combine the distance of a spot cover with the added peripheral illumination of a elliptical cover.



Illuminate some peripherals while maintaining effective distance.



FI I IPTICAL

Reduces peripheral illumination while losing minor



Maximum wide field of view illumination in exchange for distance.



Maximum vertical field of view illumination in exchange for distance.

76mm MINI CANNON / OPTIMUS

	ITEM#	BEAM	PRIC
	PCV-OPR1	SPOT	€14,96
	PCV-OPR1EU	EUR0	€14,96
	PCV-OPR1FL	TRAIL FLOOD	€14,96
	PCV-0PR1WF	WIDE FLOOD	€14,96
	PCV-0PR1EL	ELLIPTICAL	€14,96
CLEAR PROTECTIVE			



	ITEM#
ditto	PCV-OPR1Y
TAXA N	PCV-OPR1YEU
T. Emily	PCV-OPR1YFL
	PCV-OPR1YWF
	PCV-OPR1YEL

BEAM PRICE SPOT €14 96 €14,96 TRAIL FLOOD €14,96 ELLIPTICAL

<u> FUV-UFN</u>
PCV-0PR
PCV-OPR

ITEM#

PCV-OPR1B

	7	14	A O
	м	1	g.
		<i>YPP</i>	42
	. "	V	W
		744	
-	-6	1.0	1107

	II CIVI #	DEAIN	PRICE
AUD A	PCV-OPR1R	SPOT	€14,96
1.22	PCV-OPR1REU	EUR0	€14,96
	PCV-OPR1RFL	TRAIL FLOOD	€14,96
ATTEN OF THE PERSON OF THE PER	PCV-OPR1RWF	WIDE FLOOD	€14,96
1.75	PCV-OPR1REL	ELLIPTICAL	€14,96
RFD I DIIST			

BEAM

TRAIL FLOOD

WIDE FLOOD

SPOT FURO **PRICE**

€14,96

€14,96



ITEM#	SIZE	PRICE
PCV-0PR1BL	76MM	€14,96





LED LIGHT BAR BLACK EDITION

The Xmitter Prime Xtreme is the newest generation of the original Xmitter Bar packed with new technology. It features Prime Drive for electronic thermal management and dimming capability. 5 Watt LEDs increase light output to 528 lumens per LED.

BLACK BACKGROUND EDITION
Give your style and personality to stand out from the crowd!

E-approved as driving light ECE R112.01.

AMP DRAW @12V ITEM# BEAM DISTANCE RAW LUMENS WATTAGE PRICE DIMENSIONS € 378,05 XIL-PX1210BL 10° Spot 6,336 lm 201 x 88 x 84 mm € 497.75 XIL-PX1810BL 10° Spot 330m 9.504 lm 90W 7.5A 282 x 88 x 84 mm 15.840 lm 150W 12.5A € 797,00 XIL-PX30MBL Mixed 10/40° 429m 444 x 88 x 84 mm 19.008 lm 180W 17.5A € 896,75 429m 525 x 88 x 84 mm Mixed 10/40° XIL-PX36MBL NO E-MARKED - OUTSTANDING LIGHT OUTPUT 270W 25A 600m 28.512 lm 768 x 88 x 84 mm € 1395,50 41.244 lm 37.5A 390W € 1994,00 1131 x 88 x 84 mm Mixed 10/40°

TECHNICAL INFORMATION

ACCESSORIES

SINGLE BAR



P-HARNESS-XIL

Price:

€ 41.16



P-HARNESS-2XIL

Price:

€ 51,66





Price:

€ 98.75



XIL-PECM

Price:

€ 14.96





ITEM#	COLOR	DIMENSIONS/MODEL	PRICE	ITEM#	COLOR	DIMENSIONS/MODEL	PRICE
PCV-P12BL	Black	201 mm PX-12	€ 38,90	PCV-P12Y	Amber	201 mm PX-12	€ 38,90
PCV-P18BL	Black	283 mm PX18	€ 38,90	PCV-P18Y	Amber	283 mm PX18	€ 38,90
PCV-P30BL	Black	444 mm PX30	€ 38,90	PCV-P30Y	Amber	444 mm PX30	€ 38,90
PCV-P36BL	Black	525 mm PX36	€ 38,90	PCV-P36Y	Amber	525 mm PX36	€ 38,90
PCV-P54BL	Black	768 mm PX54	€ 44,89	PCV-P54Y	Amber	768 mm PX54	€ 44,89
PCV-P78BL	Black	1131 mm PX78	€ 48,88	PCV-P78Y	Amber	1131 mm PX78	€ 48,88

All prices are VAT excluded - Prices are subject to change without notice.



ADJUSTABLE TRUNNION BRACKET





This support system allows adjustable tilt angle of the lighting; use the 4 points bolts on the sides to adjust the best lighting position.

Vibration Rating: 15.6 Grms

LED LIGHT BAR









TECHNICAL INFORMATION ITEM# DISTANCE **RAW LUMENS** WATTAGE DIMENSIONS PRICE XPR-3S 316m 3.237 lm 30W 1.25A 156 x 95 x 81 mm € 248.38 € 298,25 XPR-6 385m 6.474 lm 60W 2.5A 291 x 95 x 81 mm 3.75A € 398,00 416m 9.711 lm 90W 476 x 95 x 81 mm XPR-9M XPR-12M 435m 12.984 lm 120W 5A 611 x 95 x 81 mm € 497,75

DON'T FORGET TO ORDER THE ACCESSORIES YOU NEED

This item includes: 1 light Bar, Feet mount, 2 side wings mounts, 1 Deutsch connector



The harness is sold separately. (See p.32)

All prices are VAT excluded - Prices are subject to change without notice.

10 WATT LED

10 watt per LED with an optimized light beam Iris Reflectors to provide a spread of light at a





LED LIGHT BAR MAKE AN IMPACT

The drivers first choice! We give you an outstanding visibility and literally turns night into day on a long distance, pushing out 1 lux at 435 meters (XPR-12M). Mount it on the roof or in the grille with our integration kits and the massive light output increase your enjoyment and security of driving.

30





P-HARNESS-2XIL

€ 51,66

SINGLE BAR



P-HARNESS-XIL

Price: € 41,16



XPI-EM

Price:

€ 48,88

VISION A LIGHTING

DIMENSIONS/MODEL PRI 156 mm XPR-3 € 34	
156 mm XPR-3 € 34	
	l,91
291 mm XPR-6 € 38	3,90
476 mm XPR-9 € 38	3,90
611 mm XPR-12 € 44	l,89
	476 mm XPR-9 € 38 611 mm XPR-12 € 44



8 WATT LED

8 watt per LED with an optimized light beam to provide a spread of light at a distance.

MIXED BEAM

10°/30E65° Elliptical, perfect for area lighting.

ROAD LEGAL





ADJUSTABLE TRUNNION BRACKET

This support system allows adjustable tilt angle of the lighting; use the bolts on the sides to adjust the best lighting position.

Vibration Rating: 21.2 Grms, the lamp can handle vibrations without problems even in the most exposed places.

DURA E4M LED LIGHT XTREME POWER



















ITEM#	BEAM	RAW LUMENS	WATTAGE	AMP DRAW @12V	DIMENSIONS	E-MARK	PRICE
DURA-E4M	Mixed 10°/30E65°	3.379 lm	32W	2.66A	100 x 107 x 65 mm	ECE R112.01	€119,00
DURA-E4MFLUSH	Mixed 10°/30E65°	3.379 lm	32W	2.66A	100 x 107 x 65 mm	ECE R112.01	€168,88

MULTI LED

7 LED With an optimized light beam Reflectors to provide a spread of light at a distance.



SINGLE LED

Sinlge LED With an optimized light beam Iris Reflectors to provide a spread of light at a distance.

ROAD LEGAL





ADJUSTABLE TRUNNION BRACKET

This support system allows adjustable tilt angle of the lighting; use the 4 points bolts on the sides to adjust the best lighting position.

Vibration Rating: 21.2 Grms



CG2 CANNON LED LIGHT



NISIONX

The most powerful and versatile on-road LED lighting system. Available in a Long Distance or Multi-LED Full Beam version to shine the light exactly where you need it.

The Day-White lighting color allows you to comfortably see the terrain over unmatchable distances.

E-approved

All models are E-approved as driving light ECE R112.01.

TECHNICAL INFORMATION

VISIONX


















	ITEM#	LED	RAW LUMENS	WATTAGE	AMP DRAW @12V	DIMENSIONS	E-MARK	PRICE
	CG2-CPZ110E	Single	3.000lm	40W	3.33A	137x134x94mm	ECE R112.01	€ 278,30
	CG2-CPZ110EKIT	Single	6.000lm	80W	6.67A	137x134x94mm	ECE R112.01	€ 547,63
	CG2-CPM710E	Multi (7)	5.250lm	49W	4.08A	137x134x94mm	ECE R112.01	€ 278,30
	CG2-CPM710EKIT	Multi (7)	10.500lm	98W	8.17A	137x134x94mm	ECE R112.01	€ 547,63
	CG2-CPZ620E	Single	3.200lm	50W	10.5A	137x134x94mm	ECE R112.01	€ 497,75
	CG2-CPZ620EKIT	Single	6.400lm	100W	21A	167x180x136mm	ECE R112.01	€ 986,53
	CG2-CPM1810E	Multi (18)	9.504lm	90W	7.5A	167x180x136mm	ECE R112.01	€ 497,75
6889	CG2-CPM1810EKIT	Multi (18)	19.008lm	180W	15A	167x180x136mm	ECE R112.01	€ 986,53



Available with Yellow Lens on request. Other beams are available on demand.







SNAP-ON LIGHT COVERS



25 LIGHTS IN 1 WITH POLYCARBONATE COVERS

Each Light Cannon is 25 Lights In One with the help of the unbreakable polycarbonate snap-on covers that can alter the beam pattern and change the color of the Cannon. Tackle any weather condition with the proper color cover, or quickly change your spot cover to a flood cover for a wider beam when necessary.

COLOR OPTIONS



BLACKOUT | PROTECTIVE

Covers the fixture with a solid black protective cover with a high contrast "X" logo. Required in select states for on-road use.



CLEAR | PROTECTIVE

Protects light from dust, debris and particulates without changing light color or performance.



Battles fog conditions by reducing the amount of blue light. Mimics classic Halogen color temperature. Great for driving in fog at high speeds.




Increases lighting distance when used in snow conditions by reflecting the blue light off the snow. Recommended for vehicles in heavy winter



36

Reduces light temperature and glare back in order to enhance penetration in dust and air particulate. Ideal for vehicles in extreme dust conditions.

BEAM OPTIONS





Spot covers maintain original lighting beam pattern while protecting the lens from harmful debris.



Combo covers combine the distance of a spot cover with the added peripheral illumination of a elliptical cover.



Illuminate some peripherals while maintaining effective distance.



Reduces peripheral illumination while losing minor



Maximum wide field of view illumination in exchange for distance.



Maximum vertical field of view illumination in exchange for distance.

ALL SIZES BLACKOUT COVER



ITEM#	SIZE	PRICE
PCV-CP1BL	137MM	€18,05
PCV-6500BL	167MM	€33,25

BLACK | PROTECTIVE

137mm LIGHT CANNON COVERS

ITEM#	BEAM	PRICE
PCV-CP1	SP0T	€18,95
PCV-CP1CB	COMBO	€18,95
PCV-CP1EU	EUR0	€18,95
PCV-CP1FL	TRAIL FLOOD	€18,95
PCV-CP1WF	WIDE FLOOD	€18,95
PCV-CP1EL	ELLIPTICAL	€18,95
	PCV-CP1CB PCV-CP1EU PCV-CP1FL PCV-CP1WF	PCV-CP1 SP0T PCV-CP1CB C0MB0 PCV-CP1EU EURO PCV-CP1FL TRAIL FLOOD PCV-CP1WF WIDE FLOOD

	ITEM#	BEAM	PRICE
against The	PCV-CP1Y	SPOT	€18,95
The state of the s	PCV-CP1YCB	COMBO	€18,95
	PCV-CP1YEU	EUR0	€18,95
	PCV-CP1YFL	TRAIL FLOOD	€18,95
	PCV-CP1YWF	WIDE FLOOD	€18,95
AMBEDIEGO	PCV-CP1YFI	FLLIPTICAL	£18.05



	II CIVI #	DEAM	PRICE
	PCV-CP1B	SPOT	€18,95
	PCV-CP1BCB	COMBO	€18,95
5	PCV-CP1BEU	EUR0	€18,95
	PCV-CP1BFL	TRAIL FLOOD	€18,95
	PCV-CP1BWF	WIDE FLOOD	€18,95
V	PCV-CP1BEL	ELLIPTICAL	€18,95



	IIEM#	BEAM	PRICE
	PCV-CP1R	SPOT	€18,95
١	PCV-CP1RCB	COMBO	€18,95
1	PCV-CP1REU	EUR0	€18,95
7	PCV-CP1RFL	TRAIL FLOOD	€18,95
	PCV-CP1RWF	WIDE FLOOD	€18,95
	PCV-CP1REL	ELLIPTICAL	€18,95

167mm LIGHT CANNON COVERS

VICTORY .	ITEM#	BEAM	PRICE
	PCV-6500	SP0T	€34,91
	PCV-6500CB	COMBO	€34,91
	PCV-6500EU	EUR0	€34,91
11/10/2011	PCV-6500FL	TRAIL FLOOD	€34,91
1	PCV-6500WF	WIDE FLOOD	€34,91
CLEAR PROTECTIVE	PCV-6500EL	ELLIPTICAL	€34,91





	ITEM#	DEAM	DDICE
			,
W	PCV-6500BEL	ELLIPTICAL	€34,91
	PCV-6500BWF	WIDE FLOOD	€34,91
	PCV-6500BFL	TRAIL FLOOD	€34,91
71	PCV-6500BEU	EUR0	€34,91
go	PCV-6500BCB	COMBO	€34,91
	PCV-6500B	SP0T	€34,91



RED | DUST

	ITEM#	BEAM	PRICE
١	PCV-6500R	SP0T	€34,91
1	PCV-6500RCB	COMBO	€34,91
7	PCV-6500REU	EUR0	€34,91
	PCV-6500RFL	TRAIL FLOOD	€34,91
	PCV-6500RWF	WIDE FLOOD	€34,91
	PCV-6500REL	ELLIPTICAL	€34,91

BACK LIGHT

REVERSE LED LIGHT EASY WORK, EASY WAY



ROAD LEGAL





ADJUSTABLE TRUNNION BRACKET

This support system allows adjustable tilt angle of the lighting; use the bolts on the sides to adjust the best lighting position.

Vibration Rating: 21.2 Grms, the lamp can handle vibrations without problems even in the most exposed places.

Because your safety is our priority! Our work lights meet the high expectations of professional drivers. Extreme affordability made for demanding tasks.


THE RIGHT PLACE OF LIGHT

Well suited for any vehicle where you have limited space. On the rack or as a reverse light.

E-approved as Reverse light ECE R23



DURA E490 LED LIGHT REVERSE LIGHT






This support system allows adjustable tilt angle of the lighting; use the 2 points bolts on the sides to adjust the best lighting position.

ADJUSTABLE TRUNNION BRACKET

Vibration Rating: 21.2 Grms, the lamp can handle vibrations without problems even in the most exposed places.



OVERLAND 3 LED LIGHT REVERSE LIGHT



10 WATT LED

10W Sinlge LED With an optimized light beam Iris Reflectors to provide

Beam: 10° SPOT | 20° Medium | 40°

a spread of light at a distance.

ROAD LEGAL

EMARK




ECE R23 The Solstice Solo Prime Pod offers area lighting for universal applications. The Solo provides The Mini Solo is designed as universal lighting for tight installations, where maximum powefull ladder, platform, and entrance lighting. | Compact design ideal for illuminating vehicle light output is needed. | Highest Light Output Per Cubic Inch on the Market | Available door area | Ideal for maintenance at the rear end of the vehicle | Flexible mounting configurations Omni-Link Connected 3 Pods Together | Compatible with Select Solo Pod Accessories | Fast and reliable installation with DT connectors | Electronic thermal management | Reverse | Radial Fins Optimize Head Dissipation | polarity operation Weatherproof Duetsch Connector | Colored LEDs Available

SOLO MINI LED LIGHT REVERSE LIGHT 50.000 HOURS



SOLO PRIME LED LIGHT REVERSE LIGHT

336509



TECHNICAL INFORMATION				9-32V 50,000 HR IP-68	-40°~+80°C 6061	EMARK (8.7)
ITEM#	BEAM	RAW LUMENS	WATTAGE	AMP DRAW @12V	DIMENSIONS	E-MARK
XIL-SP110	10°	1.052 lm	10 W	0.83A	55 x 85 x 60 mm	ECE R23
XIL-SP120	20°	1.052 lm	10 W	0.83A	55 x 85 x 60 mm	ECE R23
XIL-SP140	40°	1.052 lm	10 W	0.83A	55 x 85 x 60 mm	ECE R23
II prices are VAT ex	cluded - Prices a	re subject to change withou	ıt notice.		Pri	ice: 118,70€



120° BEAM

The UF32 offers a 120° beam pattern, making it the ultimate flood light for any application.

ROAD LEGAL



LIGHTWEIGHT

Made from durable hi-impact nylon the UF32 weighs just 0.4 lb the UF32 is light enough to be mounted anywhere.

AR 00 (Fig. 1)

ROAD LEGAL



3 WATT LED

3W LED With an optimized light beam Iris Reflectors to provide a spread of light at a distance. Beam: 60° WIDE




FLUSH MOUNT

UF32 LED LIGHT REVERSE LIGHT



DURA MINI LED LIGHT REVERSE LIGHT



TECHNICAL INFO	RMAT	ION 7	V 50,000 HR	IP-68 IP69K	40°-+80°C 6061	EMARK	(21.2) (Gms)	
ITEM#	BEAM	RAW LUMENS	WATTAGE	AMP DRAW @12V	DIMENSIONS	E-MARK	PRICE	
DURA-M460FLUSHV2	60°	1.544 lm	12W	1.0A	70 x 91 x 40 mm	ECE R23	97,76€	
DURA-M460FLUSHV2REVKIT	60°	3.088 lm	24W	2.0A	70 x 91 x 40 mm	ECE R23	228,43€	
* KIT includes: 2 lights, 2 Flush mounts, harness, Extension cord								
All prices are VAT excluded - Prices	are subject to c	hange without notice.						



10 WATT LED

10 watt per LED with an optimized light beam Iris Reflectors to provide a spread of light at a distance.



POSITION LIGHT

White position light with a separate wire, you'll be able to rig the position Light up as a daytime running light.

OFF-ROAD 11-32V 50,000 HR IP-68 IP69K -40' ~ +80'C 6061

TECHNICAL INFORMATION

ITEM#	DISTANCE	RAW LUMENS	WATTAGE	AMP DRAW @12V	DIMENSIONS	PRICE				
WITH WHITE POSITION LIGHT										
XPR-H15M	495m	16.185 lm	150W	12.5A	746 x 95 x 81 mm	€ 707,23				
XPR-H18M	534m	19.422 lm	180W	15A	881 x 95 x 81 mm	€ 826,93				
XPR-H21M	565m	22.659 lm	210W	17.5A	1016 x 95 x 81 mm	€ 946,63				
XPR-H24M	594m	25.896 lm	240W	20A	1150 x 95 x 81 mm	€ 1066,33				
XPR-H27M	675m	29.133 lm	270W	22.5A	1286 x 95 x 81 mm	€ 1186,03				
		WITHOU	T WHITE PO	SITION LIGHT						
XPR-15M	495m	16.185 lm	150W	12.5A	746 x 95 x 81 mm	€ 597,50				
XPR-18M	534m	19.422 lm	180W	15A	881 x 95 x 81 mm	€ 697,25				
XPR-21M	565m	22.659 lm	210W	17.5A	1016 x 95 x 81 mm	€ 797,00				
XPR-24M	594m	25.896 lm	240W	20A	1150 x 95 x 81 mm	€ 896,75				
XPR-27M	675m	29.133 lm	270W	22.5A	1286 x 95 x 81 mm	€ 996,50				
	D	ON'T FORGET 1	O ORDER TI	HE ACCESSORIES	YOU NEED					

This item includes: 1 light Bar, Feet mount, 2 side wings mounts, 1 Deutsch connector



The harness is sold separately. (See p.49)

All prices are VAT excluded - Prices are subject to change without notice.

OUTSTANDING LIGHT OUTPUT

1 lux at 675m AND MORE!





LED LIGHT BAR MAKE AN IMPACT

The drivers first choice! We give you an outstanding visibility and literally turns night into day on a long distance, pushing out 1 lux at 675 meters (XPR-27M). Mount it on the roof or in the grille with our integration kits and the massive light output increase your enjoyment and security of driving.

White position light?

Give your style and personality to stand out from the crowd! Choose white position light with a separate wire, you'll be able to rig the position light up as a daytime running light.





LED LIGHT BAR




The XPR-Curved has been updated with new IRIS reflector technology to give 40-90% more distance than the XPR series, a Custom beam pattern that offers you great distance with spread to the beam and black aluminum housing.

The XPR curved comes standard with an multi-volt 11-32V DC input.
Coming with Prime Drive for enhanced reliability & output and our new 10 watt LED's this light has an extraordinary light output.

White position light?

Give your style and personality to stand out from the crowd! A white position light with a separate wire, you'll be able to rig the position light up as a daytime running light.

OUTSTANDING LIGHT OUTPUT





ACCESSORIES



P-HARNESS-2XILHO

Price:

€ 62,16

OFF-ROAD

SINGLE BAR



P-HARNESS-HO

Price: € 51,66



XPI-EM

Price:

€ 48,88

VISION A LIGHTING

ITEM#	COLOR	DIMENSIONS/MODEL	PRICE
PCV-XP15BL	Black	746 mm XPR-15	€ 44,89
PCV-XP18BL	Black	881 mm XPR-18	€ 48,88
PCV-XP21BL	Black	1016 mm XPR-21	€ 48,88
PCV-XP24BL	Black	1150 mm XPR-24	€ 54,86
PCV-XP27BL	Black	1286 mm XPR-27	€ 54,86
Not available for	Curved		

WHITE DESIGN

White color of position light for an outstanding light effect, perfectly positioned in a backlite.

SLIM DESIGN

This slim lighting series makes a bigger impression than the size and low profile suggests.

POSITION LIGHT

Choose between White or Amber position light. With a separate wire, you'll be able to rig the position Light up as a daytime running light.



5 watt per LED with an optimized

light beam Iris Reflectors to provide a spread of light at a distance.

5 WATT LED

Beam: 10° SPOT

ANTI-MOISTURE

An Nitto Denko valve function that release the moisture.



1 lux at 630m AND MORE!



LED LIGHT BAR MAKE YOUR STYLE

The slim design combined with an attractive position light and high light output make it one of the most wanted light bars on the market. Design, performance and quality surpasses even the highest expectations. Mount it on the roof cab or in the grille with our integration kits and the massive light output increase your enjoyment and security of driving.

Amber or white position light?

Give your style and personality to stand out from the crowd! Choose between White or Amber position light. With a separate wire, you'll be able to rig the position light up as a daytime running light.

TECHNICAL INFORMATION













ITEM#	DISTANCE	RAW LUMENS	WATTAGE	AMP DRAW @12V	DIMENSIONS	PRICE
XPL-H3	148m	1.605 lm	15W	1.25A	143 x 51 x 55 mm	€ 139,00
XPL-H24	550m	12.840 lm	120W	10A	815 x 51 x 55 mm	€ 399,00
XPL-H30	600m	16.050 lm	150W	12.5A	1007 x 51 x 55 mm	€ 539,00
XPL-H39	630m	20.865 lm	195W	16.25A	1295 x 51 x 55 mm	€ 639,00

DON'T FORGET TO ORDER THE ACCESSORIES YOU NEED



This item includes: 1 light Bar, Feet mount, 1 Deutsch connector

The harness and the side wings mounts (XPL-LEM) are sold separately. (See p.55)

AMBER DESIGN

Amber color of position light for an outstanding light effect, perfectly positioned in a backlite.



POSITION LIGHT

Amber position light with a separate wire, you'll be able to rig the position Light up as a daytime running light.

ANTI-MOISTURE

An Nitto Denko valve function that release the moisture.

5 WATT LED

5 watt per LED with an optimized light beam Iris Reflectors to provide a spread of light at a distance. Beam: 10° SPOT

SLIM DESIGN

This slim lighting series makes a bigger impression than the size and low profile suggests.



LED LIGHT BAR MAKE YOUR STYLE

The slim design combined with an attractive position light and high light output make it one of the most wanted light bars on the market. Design, performance and quality surpasses even the highest expectations. Mount it on the roof cab or in the grille with our integration kits and the massive light output increase your enjoyment and security of driving.

Amber or white position light?

Give your style and personality to stand out from the crowd! Choose between White or Amber position light. With a separate wire, you'll be able to rig the position light up as a daytime running light.

TECHNICAL INFORMATION













OFF-ROAD

ITEM#	DISTANCE	RAW LUMENS	WATTAGE	AMP DRAW @12V	DIMENSIONS	PRICE
XPL-HA3	148m	1.605 lm	15W	1.25A	143 x 51 x 55 mm	€ 139,00
XPL-HA24	550m	12.840 lm	120W	10A	815 x 51 x 55 mm	€ 399,00
XPL-HA30	600m	16.050 lm	150W	12.5A	1007 x 51 x 55 mm	€ 539,00
XPL-HA39	630m	20.865 lm	195W	16.25A	1295 x 51 x 55 mm	€ 639,00

DON'T FORGET TO ORDER THE ACCESSORIES YOU NEED



This item includes: 1 light Bar, Feet mount, 1 Deutsch connector

The harness and the side wings mounts (XPL-LEM) are sold separately. (See p.55)





ACCESSORIES

DUAL BAR



P-HARNESS-2XILHO

Price:

€ 49,20


OFF-ROAD

CURVED LED LIGHT BAR

The XPL Curved Halo Series LED Light Bar is our solution to growing demand for high performance curved light bars. We did it better and we are the first to do it featuring an ultra slim housing with high intensity single row 5W LEDs. Utilizing our Iris Reflector Technology coupled with the unique curve of the bar, the XPL Curved Series produces a broad spot beam pattern that reaches over 531m with up 20,865 raw lumens.

White position light?

Give your style and personality to stand out from the crowd! a white position light with a separate wire, you'll be able to rig the position light up as a daytime running light.







XPL-LEM

All prices are VAT excluded - Prices are subject to change without notice.

Price: € 39.20

SINGLE BAR



P-HARNESS-HO

Price:

€ 39,20





ITEM#	COLOR	DIMENSIONS/MODEL	PRICE
PCV-XPL24BL	Black	815 mm XPL-24	€ 44,89
PCV-XPL30BL	Black	1007 mm XPL-30	€ 48,88
PCV-XPL39BL	Black	1295 mm XPL-39	€ 54,86
PCV-XPL24Y	Amber	815 mm XPL-24	€ 44,89
PCV-XPL30Y	Amber	1007 mm XPL-30	€ 48,88
PCV-XPL39Y	Amber	1295 mm XPL-39	€ 54,86
Not available fo	r Curved		

54

SHOCKER LED LIGHT BAR

5 WATT LED

5 watt per LED with an optimized light beam Iris Reflectors to provide a spread of light at a

Beam: 10° SPOT





SHOCKES LED LIGHT BAR DOUBLE IMPACT

The slim design combined with an attractive position light and high light output make it one of the most wanted light bars on the market. Design, performance and quality surpasses even the highest expectations. Mount it on the roof or in the grille and the massive light output increase your enjoyment and security of driving.

White position light

release the moisture.

Give your style and personality to stand out from the crowd! with a White position light. With a separate wire, you'll be able to rig the position light up as a daytime running light.

OUTSTANDING LIGHT OUTPUT

TECHNICAL INFORMATION IP69K -40' ~ +80'C ITEM# **RAW LUMENS** AMP DRAW @12V **DIMENSIONS** WATTAGE PRICE SHK-X2BH2.15 16.050 lm 150W 551 x 97 x 97 mm € 597,50 12.3A 819 x 97 x 97 mm € 741,64 SHK-X2BH2.24 25.680 lm 240W SHK-X2BH2.30 32.100 lm 300W 20.64A 1011 x 97 x 97 mm € 996,50 34.240 lm 26.67A 1295 x 97 x 97 mm SHK-X2BH2.39 € 1196.00 All prices are VAT excluded - Prices are subject to change without notice.

DUAL ACTION WHITE/AMBER





SHOCKER LED LIGHT BAR

DUAL ACTION WHITE/WHITE

60







MULTI LED

Multi LED With an optimized light beam Reflectors to provide a spread of light at a distance. Beam: 10° SPOT

ADJUSTABLE TRUNNION BRACKET

This support system allows adjustable tilt angle of the lighting; use the 4 points bolts on the sides to adjust the best lighting position.


Vibration Rating: 21.2 Grms



THUNDER DRIVING LIGHT WHAT ELSE WITH PERFORMANCE

Because your safety is our priority! We give you an outstanding visibility for rest your eyes all night long! The massive light output increase your enjoyment and security of driving.

The bracket is specially designed to handle vibrations out of the ordinary. With a vibration rating of 21.2 Grms, the lamp can handle vibrations without problems even in the most exposed places.



TECHNICAL INFORMATION















ITEM#	RAW LUMENS	WATTAGE	AMP DRAW @12V	DIMENSIONS	PRICE
VWR043010	14.550 lm	105W	8.75A	223 x 228 76 mm	€ 298,25
VWR043010WFKIT	29.100 lm	210W	17.50A	223 x 228 76 mm	€ 647,38
VWR041810	8.730 lm	63W	5.25A	185 x 189 76 mm	€ 248,38
VWR041810WFKIT	17.460 lm	126W	10.50A	185 x 189 76 mm	€ 547,63

KIT includes: 2 lights, Harness, 2 Flood Covers

MULTI LED

Multi LED With an optimized light beam Reflectors to provide a spread of light at a distance.



ADJUSTABLE TRUNNION BRACKET

This support system allows adjustable tilt angle of the lighting; use the 4 points bolts on the sides to adjust the best lighting position.
Vibration Rating: 21.2 Grms





The most powerful and versatile on-road LED lighting system. Available in a Long Distance or Multi-LED Full Beam version to shine the light exactly where you need it. The Day-White lighting color allows you to comfortably see the terrain over unmatchable distances.



All prices are VAT excluded - Prices are subject to change without notice.

SINGLE LED

Sinlge LED With an optimized light beam Iris Reflectors to provide a spread of light at a distance.



Available with Yellow Lens on request.

Other beams are available on demand.

KIT includes: 2 lights + Harness



TECHNIC	AL INFORMAT	TION	9-32V 50,000	HR IP-68	IP69K -40'~+80'	HY E EMAF	(21.2) (3.1)
	ITEM#	LED	RAW LUMENS	WATTAGE	AMP DRAW @12V	DIMENSIONS	PRICE
(CG2-0P110	Single	1.070lm	10W	0.83A	70x96x80mm	€ 148,63
	CG2-OP110KIT	Single	2.140lm	20W	1.67A	70x96x80mm	€ 298,25
	CG2-0PM310	Multi (3)	2.250lm	21W	1.75A	70x96x80mm	€ 148,63
	CG2-0PM310KIT	Multi (3)	4.500lm	42W	3.5A	70x96x80mm	€ 298,25
	CG2-CPR110	Single	1.070lm	10W	0.83A	70x96x80mm	€ 148,63
Ŷ	CG2-CPR110KIT	Single	2.140lm	20W	1.67A	70x96x80mm	€ 298,25
	CG2-CPM310	Multi (3)	2.250lm	21W	1.75A	70x96x80mm	€ 148,63
	CG2-CPM310KIT	Multi (3)	4.500lm	42W	3.5A	70x96x80mm	€ 298,25
\sim	CG2-CPZ110	Single	3.000lm	40W	3.33A	137x134x94mm	€ 278,30
Ŷ	CG2-CPZ110KIT	Single	6.000lm	80W	6.67A	137x134x94mm	€ 547,63
	CG2-CPM710	Multi (7)	5.250lm	49W	4.08A	137x134x94mm	€ 278,30
	CG2-CPM710KIT	Multi (7)	10.500lm	98W	8.17A	137x134x94mm	€ 547,63
	CG2-CPZ610	Single	4.000lm	50W	5.83A	167x180x136mm	€ 497,75
Ţ	CG2-CPZ610KIT	Single	8.000lm	100W	11.67A	167x180x136mm	€ 986,53
	CG2-CPM1810	Multi (18)	13.500lm	90W	10.5A	167x180x136mm	€ 497,75
	CG2-CPM1810KIT	Multi (18)	27.000lm	180W	21A	167x180x136mm	€ 986,53
	CG2-CPZ810	Single	6200lm	50W	8.33A	238x237x160mm	€ 747,13
	CG2-CPZ810KIT	Single	12.400lm	100W	16.67A	238x237x160mm	€ 1496,30
	CG2-CPM2410	Multi (18)	18.000lm	168W	14A	238x237x160mm	€ 747,13
	CG2-CPM2410KIT	Multi (18)	36.000lm	336W	28A	238x237x160mm	€ 1496,30



OPTIMUS LED LIGHT MORE VERSATILE 50.000 HOURS



By combining Single-Source LEDs with Vision X's Iris Reflector technology, the Optimus Series is capable of reaching a staggering 269m of usable light at just 10W.

The Optimus is available in four different beam patterns, allowing users to choose between distance or spread.



TECHNICAL INFORMATION















			9-32V 50,000 HR	IP-68 IP69K 4	10° ~ +80°C 6061 EN	MARK CONTRACTOR
ITEM#	BEAM	RAW LUMENS	WATTAGE	AMP DRAW @12V	DIMENSIONS	PRICE
XIL-OPRH115	15°	1.052 lm	10W	0.83A	92 x 92 x 97 mm	€ 138,65
XIL-OPRH115KIT	15°	2.104 lm	20W	1.66A	92 x 92 x 97 mm	€ 278,30
XIL-OPRHA115	15°	1.052 lm	10W	0.83A	92 x 92 x 97 mm	€ 138,65
XIL-OPRHA115KIT	15°	2.104 lm	20W	1.66A	92 x 92 x 97 mm	€ 278,30
XIL-OPH115	15°	1.052 lm	10W	0.83A	92 x 92 x 97 mm	€ 138,65
XIL-OPH115KIT	15°	2.104 lm	20W	1.66A	92 x 92 x 97 mm	€ 278,30
XIL-OPR110	10°	1.052 lm	10W	0.83A	92 x 92 x 97 mm	€ 118,70
XIL-OPR110KIT	10°	2.104 lm	20W	1.66A	92 x 92 x 97 mm	€ 238,40
XIL-OPR120	20°	1.052 lm	10W	0.83A	92 x 92 x 97 mm	€ 118,70
XIL-OPR120KIT	20°	2.104 lm	20W	1.66A	92 x 92 x 97 mm	€ 238,40
XIL-OPR160	60°	1.052 lm	10W	0.83A	92 x 92 x 97 mm	€ 118,70
XIL-OPR160KIT	60°	2.104 lm	20W	1.66A	92 x 92 x 97 mm	€ 238,40
XIL-OP110	10°	1.052 lm	10W	0.83A	92 x 92 x 97 mm	€ 118,70
XIL-OP110KIT	10°	2.104 lm	20W	1.66A	92 x 92 x 97 mm	€ 238,40
XIL-0P120	20°	1.052 lm	10W	0.83A	92 x 92 x 97 mm	€ 118,70
XIL-OP120KIT	20°	2.104 lm	20W	1.66A	92 x 92 x 97 mm	€ 238,40
XIL-0P160	60°	1.052 lm	10W	0.83A	92 x 92 x 97 mm	€ 118,70
XIL-OP160KIT	60°	2.104 lm	20W	1.66A	92 x 92 x 97 mm	€ 238,40

All prices are VAT excluded - Prices are subject to change without notice

KIT includes: 2 lights + Harness



25 LIGHTS IN 1 WITH POLYCARBONATE COVERS

Each Light Cannon is 25 Lights In One with the help of the unbreakable polycarbonate snap-on covers that can alter the beam pattern and change the color of the Cannon. Tackle any weather condition with the proper color cover, or quickly change your spot cover to a flood cover for a wider beam when necessary.

COLOR OPTIONS



BLACKOUT | PROTECTIVE

Covers the fixture with a solid black protective cover with a high contrast "X" logo. Required in select states for on-road use.



Protects light from dust, debris and particulates without changing light color or performance.



Battles fog conditions by reducing the amount of blue light. Mimics classic Halogen color temperature. Great for driving in fog at high speeds.




BLUE | SNOW

Increases lighting distance when used in snow conditions by reflecting the blue light off the snow. Recommended for vehicles in heavy winter



Reduces light temperature and glare back in order to enhance penetration in dust and air particulate. Ideal for vehicles in extreme dust conditions.

BEAM OPTIONS



Spot covers maintain original lighting beam pattern while protecting the lens from harmful debris.



Combo covers combine the distance of a spot cover with the added peripheral illumination of a



Illuminate some peripherals while maintaining effective distance.



ELLIPTICAL

Reduces peripheral illumination while losing minor



WIDE FLOOD

Maximum wide field of view illumination in exchange for distance.



Maximum vertical field of view illumination in exchange for distance.

ALL SIZES BLACKOUT COVER



ITEM#	SIZE	PRICE
PCV-OPR1BL	76MM	€14,96
PCV-CP1BL	137MM	€18,05
PCV-6500BL	167MM	€33,25
PCV-8500BL	223MM	€37,05

76mm MINI CANNON / OPTIMUS



ITEM#	BEAM	PRICE
PCV-0PR1	SP0T	€14,96
PCV-OPR1EU	EUR0	€14,96
PCV-OPR1FL	TRAIL FLOOD	€14,96
PCV-0PR1WF	WIDE FLOOD	€14,96
PCV-0PR1EL	ELLIPTICAL	€14,96



BEAM	PRICE
SPOT	€14,96
EUR0	€14,96
TRAIL FLOOD	€14,96
WIDE FLOOD	€14,96
ELLIPTICAL	€14,96
	SPOT EURO TRAIL FLOOD WIDE FLOOD



	ITEM#	BEAM	PRICE
	PCV-OPR1B	SPOT	€14,96
	PCV-OPR1BEU	EUR0	€14,96
5	PCV-OPR1BFL	TRAIL FLOOD	€14,96
1	PCV-OPR1BWF	WIDE FLOOD	€14,96
	PCV-OPR1BEL	ELLIPTICAL	€14,96



ITEM#	BEAM	PRICE
PCV-0PR1R	SP0T	€14,96
PCV-OPR1REU	EUR0	€14,96
PCV-OPR1RFL	TRAIL FLOOD	€14,96
PCV-OPR1RWF	WIDE FLOOD	€14,96
PCV-OPR1REL	ELLIPTICAL	€14,96

137mm LIGHT CANNON COVERS



	IILIVI T	DLAW	FICIOL
	PCV-CP1	SPOT	€18,95
	PCV-CP1CB	COMBO	€18,95
	PCV-CP1EU	EURO	€18,95
	PCV-CP1FL	TRAIL FLOOD	€18,95
1	PCV-CP1WF	WIDE FLOOD	€18,95
CLEAR PROTECTIVE	PCV-CP1EL	ELLIPTICAL	€18,95
	ITEM#	BEAM	PRICE



	ITEM#	BEAM	PRICE
and the same	PCV-CP1Y	SPOT	€18,95
	PCV-CP1YCB	COMBO	€18,95
5	PCV-CP1YEU	EUR0	€18,95
	PCV-CP1YFL	TRAIL FLOOD	€18,95
	PCV-CP1YWF	WIDE FLOOD	€18,95
FOG	PCV-CP1YEL	ELLIPTICAL	€18,95



	II CIVI #	DEAM	PRICE
	PCV-CP1B	SPOT	€18,95
	PCV-CP1BCB	COMBO	€18,95
	PCV-CP1BEU	EUR0	€18,95
	PCV-CP1BFL	TRAIL FLOOD	€18,95
	PCV-CP1BWF	WIDE FLOOD	€18,95
/	PCV-CP1BEL	ELLIPTICAL	€18,95



	ITEM#	BEAM	PRICE
	PCV-CP1R	SPOT	€18,95
7	PCV-CP1RCB	COMBO	€18,95
7	PCV-CP1REU	EUR0	€18,95
	PCV-CP1RFL	TRAIL FLOOD	€18,95
	PCV-CP1RWF	WIDE FLOOD	€18,95
	PCV-CP1REL	ELLIPTICAL	€18.95

BEAM

167mm LIGHT CANNON COVERS



THERE	IIEM#	BEAM	PRICE
	PCV-6500	SPOT	€34,91
	PCV-6500CB	COMBO	€34,91
	PCV-6500EU	EUR0	€34,91
	PCV-6500FL	TRAIL FLOOD	€34,91
	PCV-6500WF	WIDE FLOOD	€34,91
.EAR PROTECTIVE_	PCV-6500EL	ELLIPTICAL	€34,91



	ITEM#	BEAM	PRICE
	PCV-6500Y	SPOT	€34,91
b	PCV-6500YCB	COMB0	€34,91
71	PCV-6500YEU	EUR0	€34,91
	PCV-6500YFL	TRAIL FLOOD	€34,91
	PCV-6500YWF	WIDE FLOOD	€34,91
	PCV-6500YEL	ELLIPTICAL	€34,91



ITEM#

ITEM#

PCV-8500B

PCV-8500BCB

PCV-8500BEU

\sim	PCV-6500B	SP0T	€34,91
and the same	PCV-6500BCB	COMBO	€34,91
	PCV-6500BEU	EUR0	€34,91
- 1/	PCV-6500BFL	TRAIL FLOOD	€34,91
455	PCV-6500BWF	WIDE FLOOD	€34,91
SNOW	PCV-6500BEL	ELLIPTICAL	€34,91



ITEM#	BEAM	PRICE
PCV-6500R	SP0T	€34,91
PCV-6500RCB	COMBO	€34,91
PCV-6500REU	EUR0	€34,91
PCV-6500RFL	TRAIL FLOOD	€34,91
PCV-6500RWF	WIDE FLOOD	€34,91
PCV-6500REL	ELLIPTICAL	€34,91

BEAM

SP0T

COMBO

WIDE FLOOD

PRICE

€38.90

€38,90

€38,90

€38,90

223mm LIGHT CANNON COVERS



	ITEM#	BEAM	PRICE
•	PCV-8500	SPOT	€38,90
1	PCV-8500CB	COMBO	€38,90
1	PCV-8500EU	EUR0	€38,90
/	PCV-8500FL	TRAIL FLOOD	€38,90
	PCV-8500WF	WIDE FLOOD	€38,90
IVF-	PCV-8500EL	ELLIPTICAL	€38,90
٧E			
	ITEM#	BEAM	PRICE



PCV-8500Y COMBO PCV-8500YCB €38.90 **EURO** PCV-8500YEU €38,90 PCV-8500YFL TRAIL FLOOD PCV-8500YWF WIDE FLOOD €38,90 PCV-8500YEL ELLIPTICAL



	F G V-OJUUD VVI
BLUE LONGIN	PCV-8500BEL
BLUE SNOW	
ALCOHOL:	ITEM#
	PCV-8500R
10/2/2000	PCV-8500RCB
	PCV-8500REU
	PCV-8500RFL
网络北部	PCV-8500RWE

61		P
4 1	1/9/2000	P
		P
2		P
13	White State of the last	P
		P

	ITEM#	BEAM	PRICE
	PCV-8500R	SP0T	€38,90
S	PCV-8500RCB	COMBO	€38,90
>	PCV-8500REU	EUR0	€38,90
/	PCV-8500RFL	TRAIL FLOOD	€38,90
	PCV-8500RWF	WIDE FLOOD	€38,90
	PCV-8500REL	ELLIPTICAL	€38,90

68

5 WATT LED

5 watt per LED and each LED has a 40° flood optic that allows for each light to produce a wide

UNIVERSAL MOUNTING

The single bolt mounting system allows for simple and easy placement.



OUTLANDER LIGHT EASY WORK, EASY WAY

The Overlander Series LED Light offers outstanding light output in a functional design which can be easily adjusted with the single bolt bracket.

THE RIGHT PLACE OF LIGHT

Well suited for any vehicle where you have limited space. From fog lights to roof rack, Side lights and/or as a reverse light.



9LED | 45W **| 3.75A 4,752 lm** | 0.68 kg 110 x 131 x 59mm

70



6LED | 30W | 2.50A **3,168 lm** | 0.45 kg 110 x 131 x 59mm





9LED | 45W | 3.75A **4,752 lm** | 0.73 kg 110 x 131 x 59mm

6LED | 30W | 2.50A **3,168 lm** | 0.48 kg 110 x 131 x 59mm

VW0050840

9LED | 45W | 3.75A **4,752 lm** | 0.68 kg 111 x 142 x 56mm

6LED | 30W | 2.50A **3,168 lm** | 0.45 kg 111 x 142 x 56mm



5LED | 20W | **1.67A 2,294 lm** | 0.58 kg 110 x 131 x 59mm



4LED | 12W | 1.0A

1,544 lm | 0.31 kg

70 x 59 x 40mm

5LED | 20W | **1.67A 2,294 lm** | 0.58 kg 110 x 131 x 59mm



VWS030440

4LED | 12W | **1.0A 1,544 lm** | 0.31 kg 70 x 59 x 40mm





75,90€ Excl. VAT 64,90€ Excl. VAT 75,90€ Excl. VAT



DURA LED LIGHT MORE VERSATILE



The Duralux Series was designed with vehicles in mind. The sleek and compact housing coupled with either 4 or 6 high output LEDs makes it the perfect light for any automotive application.

From fog lights to roof rack and reverse lighting, the Duralux Series combines versatility with affordability to create the ultimate lighting solution for any vehicle.

Item#: DURA-M4M



7W LED

7W LED With an optimized light beam to provide a spread of light at a distance.

Item#: DURA-MXP4M

BRACKET

Black single stud mount

MIXED BEAM

5 watt per LED using mixed Beam: 10/25°, perfect for area

TECHNICAL INFORMATION













ITEM#	BEAM	RAW LUMENS	WATTAGE	AMP DRAW @12V	DIMENSIONS	PRICE
DURA-M460	60°	2.000 lm	12W	1.0A	70 x 92 x 49 mm	€ 58,85
DURA-M4M	10°/25°	2.115 lm	20W	1.67A	70 x 92 x 49 mm	€ 68,83
DURA-M4MKIT	10°/25°	4.230 lm	40W	3.33A	70 x 92 x 49 mm	€ 158,60
DURA-MXP4M	10°/25°	2.961 lm	28W	2.33A	92 x 92 x 97 mm	€ 89,00
DURA-MXP4MKIT	10°/25°	5.922 lm	56W	4.66A	92 x 92 x 97 mm	€ 189,00
DURA-410	10°	2.112 lm	20W	1.67A	100 x 107 x 65 mm	€ 98,75
DURA-410KIT	10°	4.224 lm	40W	3.33A	100 x 107 x 65 mm	€ 228,43
DURA-HI410	10°	2.961 lm	32W	2.33A	100 x 107 x 65 mm	€ 119,00
DURA-440	40°	2.112 lm	20W	1.67A	100 x 107 x 65 mm	€ 98,75
DURA-460	60°	2.112 lm	20W	1.67A	100 x 107 x 65 mm	€ 98,75
DURA-610	10°	3.696 lm	30W	2.5A	137 x 107 x 69 mm	€ 148,63
DURA-610KIT	10°	7.392 lm	60W	5.0A	137 x 107 x 69 mm	€ 328,18
DURA-640	40°	3.696 lm	30W	2.5A	137 x 107 x 69 mm	€ 148,63
DURA-640KIT	40°	7.392 lm	60W	5.0A	137 x 107 x 69 mm	€ 328,18
DURA-660	60°	3.696 lm	30W	2.5A	137 x 107 x 69 mm	€ 148,63
DURA-660KIT	60°	7.392 lm	60W	5.0A	137 x 107 x 69 mm	€ 328,18

All prices are VAT excluded - Prices are subject to change without notice.

KIT includes: 2 lights + Harness



10 WATT LED

10W Sinlge LED With an optimized light beam Iris Reflectors to provide a spread of light at a distance.

Beam: 10° SPOT | 30° Medium | 60° Flood | 30°/65° Elliptical

The Solstice Solo Pod offers area lighting for universal applications. The Solo provides powefull ladder, platform, and entrance lighting. | Compact design ideal for illuminating vehicle door area | Ideal for maintenance at the rear end of the vehicle | Flexible mounting configurations | Fast and reliable installation with DT connectors | Electronic thermal management | Reverse polarity operation

SOLSTICE SOLO LED LIGHT



ECHNICAL	INFORM	ATION		Multi-Volt 4 9-42V 50,000 HR	IP-68 -40' ~ +80'C	AL (8.7) 6061
ITEM#	BEAM	RAW LUMENS	WATTAGE	AMP DRAW @12V	DIMENSIONS	PRICE
XIL-S1110	10°	1.052 lm	10 W	0.83A	52 x 82 x 62 mm	€98,75
XIL-S1130	30°	1.052 lm	10 W	0.83A	52 x 82 x 62 mm	€98,75
XIL-S1160	60°	1.052 lm	10 W	0.83A	52 x 82 x 62 mm	€98,75
XIL-S11E3065	30°/65°	1.052 lm	10 W	0.83A	52 x 82 x 62 mm	€98,75
rices are VAT exclude	- Prices are subie	ct to change without notice				





CHASER LED LIGHT BAR



The Vision X Chaser Bar provides high output color LEDs in a sleek, low profile housing with a bright flood beam pattern. This rear mounted light bar can be configured as your running and brake lights using standard Red, Amber and White LED's.

The Chaser Bar comes in two sizes to accommodate stock UTV (715mm) and after-market UTV (908mm) roll cages.

TECHNICAL I	INFORMATION	g	0-32V 50,000 HR IP-67	IP69K -40'~+80'C	AL (21,2) 6061
ITEM#	ВЕАМ	WATTAGE	AMP DRAW @24V	DIMENSIONS	PRICE
XPL-CBSR28	60°	69W	5.75A	715 x 51 x 55 mm	€ 368,08
XPL-CBSR35	60°	98W	8.17A	908 x 51 x 55 mm	€ 427,93
prices are VAT excluded	I - Prices are subject to change without	out notice.			

PREMIUM WHITE HALOGEN BULBS

Premium Headlight Replacement Bulbs



Premium Series Headlight Bulbs

Superwhite bulbs provide brighter output for further visibility and more natural light.

Vision X Premium White Vs. Factory Bulbs



VX-HH4 Shown

ITEM #	VX-H9004	VX-H9005	VX-H9006	VX-H9007	VX-H880	VX-H881
PART # (Stock Code)	4001152	4001169	4001176	4001183	4001398	4001404
REPLACES	9004	9005	9006	9007	880	881
WATTAGE	80/100 Watt	100 Watt	80 Watt	80/100 Watt	50 Watt	50 Watt
APPLICATION	Headlight Bulb	Headlight Bulb	Headlight Bulb	Headlight Bulb	Fog Light Bulb	Fog Light Bulb
FILAMENT	Dual Filament	Single Filament	Single Filament	Dual Filament	Single Filament	Single Filament
PRICE	€ 16.76	€ 16.76	€ 16.76	€ 16.76	€ 16.76	€ 16.76

ITEM#	VX-H893	VX-HH1	VX-HH3	VX-HH4	VX-HH7	VX-HH9
PART # (Stock Code)	4001411	4001114	4001121	4001138	4001145	4001350
REPLACES	893	H1	H3	H4	H7	H9
WATTAGE	50 Watt	100 Watt	100 Watt	90/100 Watt	100 Watt	100 Watt
APPLICATION	Fog Light Bulb	Headlight Bulb	Headlight Bulb	Headlight Bulb	Headlight Bulb	Fog Light Bulb
FILAMENT	Single Filament	Single Filament	Single Filament	Dual Filament	Single Filament	Single Filament
PRICE	€ 16,76	€ 16,76	€ 16,76	€ 16,76	€ 16,76	€ 18,75

ITEM #	VX-HH10	VX-HH11	VX-HH13
PART # (Stock Code)	4001374	4001381	4001336
REPLACES	H10	H11	H13
WATTAGE	80 Watt	80 Watt	80/100 Watt
APPLICATION	Fog Light Bulb	Headlight Bulb	Headlight Bulb
FILAMENT	Single Filament	Single Filament	Dual Filament
PRICE	€ 18,75	€ 18,75	€ 18,75

Features

- Increased Wattage for Premium Performance More Reflective Off Road Signs and Markers
- Better Depth Perception & Less Eye Fatigue
- High Wattage for Increased Distance
- Relay Harness Suggested

Technical Information

WARRANTY	Standard
RAW LUMENS	900 lm
HALOGEN BULB LIFESPAN	250 Hours
INPUT VOLTAGE	12V DC
COATING	B2
COLOR TEMPERATURE	4800K

SUPERWHITE HALOGEN BULBS


Superwhite Headlight Replacement Bulbs



Superwhite Series Headlight Bulbs

Superwhite bulbs provide brighter output for further visibility and more natural light with direct factory replacement.

Vision X Superwhite Vs. Factory Bulbs



VX-LH4 Shown

ITEM #	VX-L9004	VX-L9005	VX-L9005XS	VX-L9006	VX-L9006XS	VX-L9007
PART # (Stock Code)	4001053	4001060	4001091	4001077	4001107	4001084
REPLACES	9004	9005	9005XS	9006	9006XS	9007
WATTAGE	55/65 Watt	65 Watt	65 Watt	55 Watt	55 Watt	55/65 Watt
APPLICATION	Headlight Bulb	Headlight Bulb	Headlight Bulb	Headlight Bulb	Headlight Bulb	Headlight Bulb
FILAMENT	Dual Filament	Single Filament	Single Filament	Single Filament	Single Filament	Dual Filament
			10011		No.	
PRICE	€ 16,76	€ 16,76	€ 16,76	€ 16,76	€ 16,76	€ 16,76

ITEM #	VX-L880	VX-L881	VX-L893	VX-LH1	VX-LH3	VX-LH4
PART # (Stock Code)	4001206	4001213	4001220	4001015	4001022	4001039
REPLACES	27 Watt	27 Watt	37.5 Watt	H1	H3	H4
WATTAGE	Fog Light Bulb	Fog Light Bulb	Fog Light Bulb	55 Watt	55 Watt	55/65 Watt
APPLICATION	Single Filament	Single Filament	Single Filament	Headlight Bulb	Headlight Bulb	Headlight Bulb
FILAMENT	Single Filament	Single Filament	Single Filament	Single Filament	Single Filament	Dual Filament
PRICE	€ 16,76	€ 16,76	€ 16,76	€ 16,76	€ 16,76	€ 16,76

ITEM #	VX-LH7	VX-LH8	VX-LH9	VX-LH10	VX-LH11	VX-LH13
PART # (Stock Code)	4001046	4001367	4001343	4001237	4001190	4001244
REPLACES	H7	H8	H9	H10	H11	H13
WATTAGE	55 Watt	55 Watt	55 Watt	42 Watt	55 Watt	55/65 Watt
APPLICATION	Headlight Bulb	Headlight	Headlight Bulb	Fog Light Bulb	Headlight Bulb	Headlight Bulb
FILAMENT	Single Filament	Single Filament	Single Filament	Single Filament	Single Filament	Dual Filament
PRICE	€ 16,76	€ 18,75	€ 18,75	€ 18,75	€ 18,75	€ 20,75

Technical Information

WARRANTY	Standard
RAW LUMENS	900 lm
HALOGEN BULB LIFESPAN	250 Hours
INPUT VOLTAGE	12V DC
COATING	B3
COLOR TEMPERATURE	5300K

Features

- Superwhite Beam Creates Natural Light Color
- More Reflective Off Road Signs and Markers Better Depth Perception & Less Eye Fatigue
 Increased Headlight Performance
 Direct Factory Replacement

76

79






TUBE CLAMP | MOUNTS

*In	ıcludes	2	Clamps	

ITEM#	SIZE	BOLT	PRICE
XIL-C075	19mm	M8	€28,93
XIL-C100	25mm	M8	€28,93
XIL-C125	32mm	M8	€28,93
XIL-C150	38mm	M8	€38,90
XIL-C175	45mm	M8	€38,90

ITEM#	SIZE	BOLT	PRICE
XIL-C200	50mm	M10	€48,88
XIL-C225	57mm	M10	€68,83
XIL-C250	64mm	M10	€68,83
XIL-C300	76mm	M10	€68,83

SECURITY | HARDWARE



All Security Hardware comes with 2 Security Nuts Or Bolts and 1 key tool.

SECURITY BOLTS

ITEM#	SIZE	APPLICATION
XIL-SB0615	M6 X 15	XPR, XPR-S
XIL-SB0620	M6 X 20	Any M6 X 20 Bolt
XIL-SB0815	M8 X 15	Optimus, Duralux
XIL-SB0820	M8 X 20	Any M8 X 20 Bolt
XIL-SB0825	M8 X 25	Any M8 X 25 Bolt

SECURITY NUTS

			OLOGITITI NOTO	
RICE	ITEM#	SIZE	APPLICATION	PRICE
18,95	XIL-SN06	M6	Dura Mini, Xmitter Prime Xtreme, Xmitter Lo Pro, Solstice Solo	€18,95
18,95 18,95	XIL-SN08	M8	4.7" Cannon, Optimus	€18,95
18,95	XIL-SN10	M10	All Cannon, Optimus Dual	€18,95
18,95	XIL-SN12	M12	Any M12 Mounting Hardware	€18,95



ITEM#	CONNECTORS	APPLICATION	PRICE
P-HARNESS.2XIL	Terminals	2 Light Harness	€51,66
P-HARNESS.XIL	Terminals	1 Light Harness	€41,16
P-HARNESS.HO	Terminals	High Amp 1 Light Harness	€51,66
P-HARNESS.2HO	Terminals	High Amp 2 Light Harness	€62,16
P-DY2M1F	Deutsch DT Series	Y Adapter	€10,39
P-HARNESS.REV	Extension cord	1 Light Extension cord	€10,23

FLUSH MOUNT | KITS



ITEM#	LIGHTS	PRICE
DURA-M460FLUSH	Dura Mini 60°	€108,73
DURA-E4MFLUSH	Dura E4M	€168,88
DURA-660FLUSH	Dura 6 60°	€208,48
	2 2	,

LED UTILITY FLOOD | LIGHTS

The Utility Market Flood Light features 32 wide angle LEDs making this the perfect lighting solution for applications such as back-up lighting, area lighting, or a number of other applications.



reatures:
500 Lumens (ea)
120° Flood Beam
5 Color Options

ITEM#	RAW LUMENS	COLOR	SIZE	PRICE
XIL-UF32A	500	Amber	86x48x23mm	€78,80
XIL-UF32B	500	Blue	86x48x23mm	€78,80
XIL-UF32G	500	Green	86x48x23mm	€78,80
XIL-UF32R	500	Red	86x48x23mm	€78,80
XII -HF32P	500	Purnle	86x48x23mm	€78.80



LIGHT BAR END CAP | MOUNTS

Using End Cap Mounts allow you to mount your light bar in tight spots where standard mounting won't cut it. Ideal for Roof, Bumper and Grill

ITEM#	DESIGNED FOR	PRICE
XIL-LPECM	Xmitter Lo Pro	€14,96
XIL-PECM	Xmitter Prime	€14,96
XPI-EM	XPR & XPR-S	€48,88

81

LED STRIP | LIGHTS

Strip Lights are available in standard (for switched applications) and touch models, which feature 50% Brightness, 100% Brightness and Off modes.



STRIP | LED LIGHT



ITEM#	RAW LUMENS	TOUCH ACTIVATION	LENGTH	PRICE
XIL-ST7.5	129(ea)	Yes	188mm	€78,80
XIL-ST12	145(ea)	Yes	302mm	€88,78
XIL-SL7.5	129(ea)	No	188mm	€68,83
XIL-SL12	145(ea)	No	302mm	€75,05
XIL-SL24	265(ea)	No	604mm	€156,87
XIL-SL48	520(ea)	No	1208mm	€219,45

PRIME DIMMER

Push Button or Dial Dimmer for Prime Drive



XIL-PDIMMER Shown

 TIIOWS	 IIIIC	ווע

Prime Drive Dimmer

Allows Prime Drive LED Lights and Bars dimming capability with either knob or dial dimmers.

ITEM #	PRICE
XIL-PDIMMER	€ 49,00
XIL-PDIMMERB	€ 39,00

ITEM #	XIL-PDIMMER	XIL-PDIMMERB
PART # (Stock Code)	4009257	4009264
APPLICATION	Dial Knob Dimmer	Push Button Dimmer
LIGHT CONNECTORS	WK	WK
POWER CONNECTORS	Deutsch	Deutsch
BRIGHTNESS CONTROL	50% through 100%	50% or 100%

Technical Information

WARRANTY	Standard
WEIGHT	0.10 lb/0.05 kg
DIMENSIONS	3.00" x 1.50" x 1.50"
	76 mm x 38mm x 38 mm
CORD LENGTH	5.50"/139.7 mm
INPUT VOLTAGE	9-40V DC

Features

- Designed Specifically for Prime Drive Lights
- Control Multiple Lights With One Dimmer
- Dim Your Lights for Controlled Use

CIGARETTE POWER CORD

12V



ITEM#	PRICE
P-UCA	€ 50,57

LED WORK LIGHT

Hangable LED Work Light



All prices are VAT excluded - Prices are subject to change without notice.

TEM #	HIL-WL	ITEM#	PRICE
ART # (Stock Code)	4005822	HIL-WL	€ 39.00
OLOR	Black		€ 59,00

Technical Information

WARRANTY	Standard
HOUSING	Black
INCLUDES	Work Light, Charger
DIMENSIONS	17.00" x 2.00" x 0.90"
CERTIFICATIONS	UL-C Charger
BATTERY	NimH Battery
LENS	Acrylic
LED LIFESPAN	50,000 Hours
RUN TIME	8+ Hours

- 12V Cigarette Lighter & Wall Charger Included Acrylic Body & Rubberized Handle
- Integrated Hook For Hanging



LED POD | LIGHTS

Vision X offers a diverse line of accent pod lighting. Easily attract attention to your vehicle with the wide variety of colors. Each durable pod and strip light accepts 9-32 volt input and features a strong black housing. Ideal for professional grade applications and weekend enthusiasts

PRO POD | LED LIGHT



Features: 140 Lumens Per Pod 5 Color Options 1m Power Cord Weatherproof Housing

ITEM#	COLOR	SIZE	PRICE
XIL-PDA	Amber	25mm	€34,91
XIL-PDB	Blue	25mm	€34,91
XIL-PDG	Green	25mm	€34,91
XIL-PDR	Red	25mm	€34,91
XIL-PDW	White	25mm	€34,91

BATTERY PACKS

Rechargeable Power Source for Vision X Lighting



XPC-B22	XPC-B45
3 Hours	4 Hours
2.2Ah	4.5Ah
5A	3A
4 Hours	4 Hours
14.8V DC	12V DC
1.15 lb/0.52 kg	1.00 lb/0.45 kg
On Body	On Cord
	3 Hours 2.2Ah 5A 4 Hours 14.8V DC 1.15 lb/0.52 kg

ITEM#	PRICE
XPC-B22	€ 118,70
XPC-B45	€ 289,00

Technical Information

WARRANTY	Standard
INCLUDE	Power Pack Charger
CHARGER INPUT VOLTAGE	110-220V AC

Features

- Portable Power Packs to for Universal Applications
- Weatherproof Deutsch Connector • Rechargeable

Battery Packs

Turn Vision X Lighting portable. With a variety of options, battery packs make lighting on the go happen.







SEARCH LIGHT | MOTORIZED REMOTE CONTROL

LED Lighting 360° degree Unlimited Rotation/120° Tilt | Programmable Handheld Wireless Remote Controller.



ITEM#	BEAM	RAW LUMEN	WATTAGE	DISTANCE	DIMENSIONS	PRICE
LSL-210	10°	5.090 lm	40W	916m	181.5 x 149 x 169 mm	€ 719,00

WAGNETIC BASE MOUNTS Use multiple to support larger light bars. Protective rubber boot include. Use to secure light temporarily. Protective rubber boot include

ITEM#	PULL FORCE	PRICE
P-UMB.200	85.18 kg	€34,90
P-UMB.95	43.09 kg	€18,95
P-UMB.65	29.48 kg	€13,96



MINI SOLO ACCESSORIES MOUNTS

Mini Solo Pod Mounts For Portable Applications

9

Mini Solo Accessories

Accessories for Mini Solo Pods for use in portable applications

XIL-MXHANDLEBAR Shown Light(s) Not Included

ITEM #	XIL-MXHANDLEBAR	XIL-MXHELMET	XIL-MXCOMBO	XIL-MXCLAMP
PART # (Stock Code)	9145570	9145488	9145396	9119205
USE	Bicycle Handlebars or Similar	Helmets		Tube Mounting 0.75" to 1.25" In Diameter
PRICE	€ 28,93	€ 24,94	€ 38,90	€ 14,96

Technical Information

XIL-MXHANDLEBAF

WARRANTY Standard AVAILABLE COLOR Black

Features

- Combine with Vision X Battery Packs for Portable On-The-Go Lighting
- For Recreational or Professional Applications
- Extends Applications of Solo Products







SOLO ACCESSORIES MOUNTS

Solo Pod Mounts For Portable Applications



Solo Accessories
Accessories for Solo F

Accessories for Solo Pods for use in portable applications

XIL-SCOMBO Shown Light(s) Not Included

ITEM #	XIL-SHANDLEBAR	XIL-SHELMET	XIL-SCOMBO	XIL-SHANDLE	XIL-SCLAMP
PART # (Stock Code)	4002746	4002753	4002739	4002685	9117942
USE	Bicycle Handlebars or Similar		Includes Helmet and Bicycle Mounts	Pistol Grip	Tube Mounting 0.75" to 1.25" In Diameter
PRICE	€ 28,93	€ 24,94	€ 38,90	€ 38,90	€ 14,96

Technical Information

WARRANTY	Standard
AVAILABLE COLOR	Black

Features

- Combine with Vision X Battery Packs for Portable On-The-Go Lighting
- For Recreational or Professional Applications
- Extends Applications of Solo Products









XIL-SCLAMP





HEADLIGHT | KITS

The Emark Approved VX Series LED Headlight leads the LED Headlight industry in both style and performance. With an integrated LED Halo Ring, the VX Headlight is sure to turn heads while also delivering a dramatically improved night driving experience over factory headlights.

JEEP JK SPECIFIC CANBUS

JK Model Headlight kits come standard with Canbus Adapter.



JEEP JK SPECIFIC | MODEL

ITEM#	FINISH	HALO COLOR	PRICE
XIL-7RELKITJK	CHROME	WHITE	€786,63
XIL-7RELBKITJK	BLK. CHROME	WHITE	€786,63
XIL-7RELFMBKITJK	BLK. MATTE	WHITE	€786,63

ALL OTHER JEEP | MODEL

ITEM#	FINISH	HALO COLOR	PRICE
XIL-7RELKIT	CHROME	WHITE	€742,88
XIL-7RELBKIT	BLK. CHROME	WHITE	€742,88
XIL-7RELFMBKIT	BLK. MATTE	WHITE	€742,88

* KITS INCLUDE 2 LIGHTS + CANBUS ADAPTER

JEEP JL | GLADIATOR LIGHT KITS



* KITS INCLUDE 2 LIGHTS + CANBUS ADAPTER



ITEM#	FINISH	HALO COLOR	PRICE
XIL-7RELKITJL	CHROME	WHITE	€1149,00
XIL-7RELBKITJL	BLK. CHROME	WHITE	€1149,00
XIL-7RELFMBKITJL	BLK. MATTE	WHITE	€1149,00

^{*} KITS INCLUDE 2 LIGHTS + CANBUS ADAPTER

JEEP JL | MINI CANNON





JEEP JL | CANNON

Vision X lights has stepped up to create a new line of bulletproof Off-Road Light Brackets beginning with the Jeep JL/Gladiator. No more shaky weak cheap brackets! Our new Armor Series line of off-road light brackets are specifically designed to take a beating and come back for more. Torture tested in off-road racing our new brackets are made entirely of 4130 alloy hardened American steel these new brackets allow you to mount your Vision X LED Light Canons directly to your Jeep JL/Gladiator without any cutting or drilling using factory mounting points.

ITEM#	RAW LUMENS	WATTS	AMP DRAW@12	2V LIGHTS INCLU	DED	YEAR / MAKE / MODEL	PRICE
XIL-0EA18JLCPM310	4,500lm	42W	3.5A	76mm CG2 Mini C	annons	2018+ Jeep JL / Gladiator	€477,80
XIL-0EA18JLCPM710	10,500lm	98W	8.17A	137mm CG2 Light	Cannons	2018+ Jeep JL / Gladiator	€723,45
		ITEM#		VEHICLE APPLICATION		LIGHTS & BEAM	PRICE
	L GLADIATOR	XIL-0EV2	20JT	20+ Jeep JL Gladiator	Bra	ckets Only + Connectors	€118,70
REVER	SE LIGHT KITS	XIL-0EV2	20JTM460	20+ Jeep JL Gladiator	2x BLB0	50460 + Bracket and Harness	€248,37

WINDSHIELD | LIGHT BAR MOUNT



The Light Bar Windshield Mount bolts directly into existing holes allowing for quick installation. The Vision X Jeep JK Windshield mount is designed to fit any 1270mm + Light bar with mounting feet, such as our XPR Light Bar with Unbeatable Distance. The Jeep JK Windshield Mount is also adaptable for mounting traditional round style pod lights such as our Light Cannons or HID Lights

ITEM#	APPLICATION	PRICE
XIL-0EW0713JKV2	07-13 Jeep JK	€248,37

FOG LIGHT | KITS

The Vision X OE Kits are designed with the customer in mind with easy direct to factory fitting kits that take little to no modification to install. Every kit comes with direct to factory plugs to make an easy connection between your new lights and your factory plugs.

JEEP | FOG LIGHT KITS





ITEM#	VEHICLE APPLICATION	LIGHTS & BEAM	PRICE
XIL-0E0709JKV2	07-09 Jeep JK	Brackets Only + Connectors	€48,88
XIL-0E0709JKV20PR	07-09 Jeep JK	2x Optimus Rnd. Spot	€298,25
XIL-0E0709JKV20PRH	07-09 Jeep JK	2x Optimus Rnd. Spot Halo	€338,15
XIL-0E1012JKV2	10-17 Jeep JK	Brackets Only + Connectors	€58,85
XIL-0E1012JKV20PR	10-17 Jeep JK	2x Optimus Rnd. Spot	€298,25
XIL-0E1012JKV20PRH	10-17 Jeep JK	2x Optimus Rnd. Spot Halo	€338,15
XIL-0E10JKCPM	10-17 Jeep JK	2x Mini Cannon Broad Spot	€358,10
XIL-0E13JKX	13-17 Jeep JK X	Brackets Only + Connectors	€58,85
XIL-0E13JKX0PR	13-17 Jeep JK X	2x Optimus Rnd. Spot	€298,25
XIL-0E13JKX0PRH	13-17 Jeep JK X	2x Optimus Rnd. Spot Halo	€338,15
XIL-0E18JL	18+ Jeep JL	Brackets Only + Connectors	€98,75
XIL-0E18JLCPM	18+ Jeep JL	2x Mini Cannon Broad Spot	€398,00
XIL-0E18JLM	18+ Jeep JL(Metal Bumper)	Brackets Only + Connectors	€58,85
XIL-0E18JLMCPM	18+ Jeep JL (Metal Bumper)	2x Mini Cannon Broad Spot	€348,13

A-PILLAR & HOOD | LIGHT KITS

JEEP | A-PILLAR LIGHT KITS





ITEM#	VEHICLE APPLICATION	LIGHTS & BEAM	PRICE
XIL-0EA0713JK	07-17 Jeep JK	Brackets Only + Connectors	€48,88
XIL-0EA0713JKCPZ1	07-17 Jeep JK	2x 137mm Light Cannon Spot	€497,05
XIL-0EA0713JK0P1	07-17 Jeep JK	2x Optimus Rnd. Spot	€298,25
XIL-0EA0713JK0PH	07-17 Jeep JK	2x Optimus Rnd. Spot Halo	€338,15
XIL-OEA07JKCPM710	07-17 Jeep JK	2x 137mm CG2 Broad Spot	€626,90
XIL-OEA9706TJ	97-06 Jeep TJ	Brackets Only + Connectors	€48,88
— XIL-OEA9706TJCPZ1	97-06 Jeep TJ	2x 137mm Light Cannon	€497,75
XIL-0EA9706TJ0P1	97-06 Jeep TJ	2x Optimus Rnd. Spot	€298,72
XIL-0EA9706TJ0PH	97-06 Jeep TJ	2x Optimus Rnd. Spot Halo	€338,15

JEEP | HOOD LIGHT BAR KITS ITEM#



ITEM#	VEHICLE APPLICATION	LIGHTS & BEAM	PRICE
XIL-0EH0713JK	07+ Jeep JK	Brackets Only	€68,82
XIL-0EH0713JKPX36	07+ Jeep JK	510mm Xmitter Prime Xtreme Spot	€1.065,33
XIL-0EH0713JKXPR12M	07+ Jeep JK	611mm XPR-12M	€666,33





MAVERICK X3 CANNON RACK | KIT

ITEM#	LIGHTS & BEAM	MODEL	PRICE
XIL-0ERC16CX3	Brackets Only	'17+ Mav X3	€248,38





MAVERICK X3 ROOF LIGHT BAR | MOUNTS

ITEM#	LIGHTS & BEAM	MODEL	PRICE
XIL-0ESC16CX3	Brackets Only	431mm+ Mav X3	€58,85







MAVERICK X3 SHOCK TOWER | MOUNT

The Vision X Shock Tower Light Mount for 2016+ Can-Am Maverick X3 makes adding a 305mm LED light bar an easy task. The powder coated steel mount bolts quickly to the existing shock mount, providing a new world to light up your night.

ITEM#	LIGHTS & BEAM	MODEL	PRICE
XIL-0EH16CX3	Brackets Only	'17+ Mav X3	€38,90





RZR TWIN HEADLIGHT | KITS

FOR ALL 08-14 RZR 900 | MODELS



ITEM#	LIGHTS & BEAM	HOUSING COLOR	PRICE
XIL-0EHL08RZR900	Brackets Only + Connectors		€128,68
XIL-0EHL08RZR9000P	4x Optimus Round Spot	Black	€547,63
XIL-0EHL08RZR9000PC	4x Optimus Round Spot	Chrome	€707,23
XIL-0EHL08RZR9000PW	4x Optimus Round Spot	White	€547,63
XIL-0EHL08RZR9000PH	4x Optimus Round Halo Spot	Black	€627,43

FOR ALL 14-18 RZR 1000 | MODELS



ITEM#	LIGHTS & BEAM	HOUSING COLOR	PRICE
XIL-0EHL14RZR	Brackets Only + Connectors		€128,81
XIL-0EHL14RZR0PR	4x Optimus Round Spot	Black	€547,63
XIL-OEHL14RZROPRC	4x Optimus Round Spot	Chrome	€707,23
XIL-0EHL14RZR0PRW	4x Optimus Round Spot	White	€547,63
XIL-0EHL14RZR0PRH	4x Optimus Round Halo Spot	Black	€627,43

FOR ALL 08'+ RZR | MODELS



A-PILLAR KITS

ITEM#	LIGHTS & BEAM	PRICE
XIL-0EAS08RZR	Brackets Only + Connectors	€46,55
XIL-0EAS08RZR0PR	2x Optimus Round Spot	€272,65
XIL-0EAS08RZR0PRH	2x Optimus Round Halo Spot	€310,65

FOR ALL 20mm+ RZR | MODELS







D-PILLAR | KITS

ITEM#	LIGHTS & BEAM	SIDE	PRICE
XIL-0ED08RZRL	Brackets Only	Driver	€28,93
XIL-0ED08RZRLDURAM	Dura Mini Flood	Driver	€87,78
XIL-0ED08RZRLDURA460	Dura 4 Flood	Driver	€127,68
XIL-0ED08RZRLDURA440A	Dura 4 Amber Flood	Driver	€127,68
XIL-0ED08RZRR	Brackets Only	Passenger	€28,93
XIL-0ED08RZRRDURAM	Dura Mini Flood	Passenger	€87,78
XIL-0ED08RZRRDURA460	Dura 4 Flood	Passenger	€127,68
XIL-0ED08RZRRDURA440A	Dura 4 Amber Flood	Passenger	€127,68

ROOF LIGHT BAR | MOUNTS

ITEM#	LIGHTS & BEAM	MODEL	PRICE
XIL-0ESC14RZR	Brackets Only	355mm + RZR	€48,88





CARBON ROOF CAP | KITS

Carbon roof cap with two XPL-H9EMH Vision X.

 ITEM#
 LIGHTS
 PRICE

 LRD-XPLH9CBK
 2 XPL-H9EMH
 €3635,00





XPL CURVED INTEGRATION | KITS

Integration kit with curved bar XPL-HC23EMH from Vision X.









FOR 2021 DEFENDER | MODELS

CANNON LIGHT INTEGRATION | KITS

Integration kit with CANNON CG2 from Vision X.



ITEM#	LIGHTS	PRICE
LRD-CG2CPM710K	CG2-CPM710KIT	€610,00
LRD-CG2CPZ110K	CG2-CPZ110KIT	€610,00





CG2-CPM710 CG2-CPZ110

All prices are VAT excluded - Prices are subject to change without notice.

All prices are VAT excluded - Prices are subject to change without notice.

CANNON LASER | LIGHT

Vision X, forerunner in the research and development of new technologies, introduces you to its brand new **Laser Cannon!**

An unequalled range !!! With only 14w of consumption it achieves a distance of almost **1000m**! you read it right, yes 1km!!!!

ITEM# DESCRIPTION		PRIX
CG2-CPL11401	Laser Light only	€ 497.87
CTL-CPZ1HANDLE	Pistol Grip Handle	€ 54.86
P-UCA	12V Cigarette Power Cord	€ 50.57
XPC-B45	Lithium-ion Battery Pack Autonomy : 4 hrs	€ 289,00






























LIGHT BAR | INTEGRATION KITS

With the Vision X Bumper Light Bar kit, you can drastically improve your vehicles light output while maintaining the factory look. Choose from a distance spot bar or a full spread beam that fills in the roadway.

The Vision X Kits are designed with the customer in mind with model specific brackets it takes little to no modification to install.

BROCHURE BY BRAND AVAILABLE ON REQUEST

BRANDS AVAILABLE

ALFA ROMEO STELVIO

AUDI A4, A6, Q5, Q7

BMW Serie 3, Serie 2 TOURER

CITROEN BERLINGO, JUMPY, JUMPER, C3, PICASSO, RELAY

DODGE RAM

FORD RANGER, TRANSIT, FOCUS, MONDEO, S-MAX

HYUNDAI GRAND SANTA FE, IONIQ, i10, i20, i30, i40, KONA, SABTA FE, TUCSON

KIA CARENS, CEED, E-NIRO, OPTIMA, PROCEED, SORENTO, SOUL, SPORTAGE, STONIC, X-CEED

 $\textbf{MERCEDES} \ \ \text{G-CLASS}, \ \text{X-CLASS}, \ \text{V-CLASS}, \ \text{SPRINTER}, \ \text{CITAN}, \ \text{C-CLASS}, \ \text{E-CLASS}$

MITSUBISHI L200, OUTLANDER, ASX

NISSAN NAVARA, QASHQAI

OPEL INSIGNIA

PEUGEOT EXPERT, PARTNER, BOXER, 308, 508, 3008, 5008

RENAULT ALASKAN, CLIO

SKODA FABIA, KODIAQ

SUBARU OUTBACK, XV

TESLA S, X, 3

TOYOTA HILUX, LANCRUISER, RAV4, PROACE, AURIS, AVENSIS, CAMRY, CH-R, COROLLA

VOLKSWAGEN AMAROK, CADDY, CRAFTER, TRANPORTER, GOLF, PASSAT, TIGUAN T-ROCK

VOLVO S60, S80, S90, V60, V70, V90, XC40, XC60, XC70, XC90

















VISION X EUROPE

188/5 Rue du Cerf 1332 Genval Belgium P: +32 2 652 21 52

VISION X HEADQUARTERS

1601 Boundary Blvd Auburn WA, 98001 United States of America P: 253-218-2900

VISION X FACTORY

23-7 Dongtansandan 9-gil Dongtan-myeon Hwaseong-si Gyeonggi-do 18487, Korea P: 82-32-515-4814